

SAFETECH

A HI-TECH PRODUCT



IS 5290 : 1993 & IS 903 : 1993

Landing Valve, Hose Coupling, Branch Pipe With Nozzle

S.S. 63 MM DELIVERY HOSE COUPLING



S.NO.	PARAMETERS	SPECIFICATION
1.0	REFERENCE STANDARDS	: IS : 903 - 1993
2.0	APPROVALS	: ISI MARKED
3.0	SIZE	: 63MM INSTANTANEOUS TYPE
4.0	MATERIAL OF CONSTRUCTION	
4.1	MALE & FEMALE COUPLING	: IS : 3444, GR 1
4.2	SPRING	: S.S. IS : 6528
4.3	WASHER	: RUBBER IS : 937 TYPE - 'A'
5.0	DIMENSION	: AS PER IS : 903 / APPROVED DRAWING
6.0	FINISH	: BUFF POLISHED
7.0	PERFORMANCE REQUIREMENTS	
7.1	HYDRAULIC PRESSURE TEST	: 21 KG/CM2. (FOR 2.5 MINUTES)
8.0	MARKING	: PERMANENTLY MARKED
	BRAND	: SAFETECH
	SIZE	: 63MM
	ISI	: BISMARKE
	SR.NO.	:
	YEAR OF MFG.	:
9.0	WARRANTY & GUARANTEE	: 12 MONTHS FROM THE DATE OF SUPPLY

S.S. 63 MM SHORT BRANCH PIPE WITH NOZZLE



S.NO.	PARAMETERS	SPECIFICATION
1.0	REFERENCE STANDARDS	: IS : 903 - 1993
2.0	APPROVALS	: ISI MARKED
3.0	SIZE	: 63MM
3.1	INLET	: 63mm Instantaneous Male INLET
3.2	OUTLET	: 15 & 20mm Bore Solid Jet Nozzle
4.0	MATERIAL OF CONSTRUCTION	
4.1	Short Branch Pipe (Body) & Nozzle	: IS : 3444, GR 1
4.2	WASHER	: RUBBER IS : 937 TYPE - 'B'
5.0	DIMENSION	: AS PER IS : 903 / APPROVED DRAWING
6.0	FINISH	: BUFF POLISHED
7.0	PERFORMANCE REQUIREMENTS	
7.1	HYDRAULIC PRESSURE TEST	: 21 KG/CM2. (FOR 2.5 MINUTES)
8.0	MARKING	: PERMANENTLY MARKED
	BRAND	: SAFETECH
	SIZE	: 63MM
	ISI	: BISMARKE
	SR.NO.	:
	YEAR OF MFG.	:
9.0	WARRANTY & GUARANTEE	: 12 MONTHS FROM THE DATE OF SUPPLY

S.S. SINGLE HEADED HYDRANT VALVE



S.NO.	PARAMETERS	SPECIFICATION
1.0	REFERENCE STANDARDS	: IS : 5290 - 1993 Type - A
2.0	APPROVALS	: ISI MARKED
3.0	SIZE 3.1 INLET 3.2 OUTLET	: 63MM : 75mm N.B. Glance (Drilling AS per ANSI B16.5 150#) : 63mm Female INSt. Outlet
4.0	MATERIAL OF CONSTRUCTION 4.1 Body, Bonnet, Stop (Seat) Valve Gland Nut, Check Nut, Inst. Female Outlet 4.2 Spindle 4.3 Hand Wheel 4.4 Spring 4.5 WASHER	: IS : 3444, Gr. 1 : S.S. IS : 6603 : CAST IRON IS : 210 FG 200 : S.S. IS : 6528 : RUBBER IS : 937 TYPE - 'A'
5.0	DIMENSION	: AS PER IS : 5290 / APPROVED DRAWING
6.0	FINISH	: BODY TO BE PAINTED BY FIRE RED COLOUR AS PER IS : 5 SHADE NO. 536 Hand Wheel to Be Painted by Black Paint Parts to Be Polished
7.0	PERFORMANCE REQUIREMENTS 7.1 Water Tightness 7.2 HYDRAULIC PRESSURE TEST 7.3 Flow Test	: 14 kg/cm2. (For 2.5 Minutes) : 21 KG/CM2. (FOR 2.5 MINUTES) : 900 LPM Min. @7KG/CM2
8.0	MARKING	: PERMANENTLY MARKED BRAND : SAFETECH SIZE : 63MM ISI : BIS MARKED SR.NO. : YEAR OF MFG. :
9.0	WARRANTY & GUARANTEE	: 12 MONTHS FROM THE DATE OF SUPPLY



Marketed by:

Hi-Tech Safe
INDORE



Manufactured by:

Hi-Tech Metal Formings
INDORE

Correspondence Address

Near Indo-German Tool Room, Sanwer Road, INDORE (M.P.) 452 003, INDIA

Ph. : 0731 3081600 Fax : 0731 3081601, Mobile : 093009 29042

email : hitechsafe@rediffmail.com | info@safetechfire.co.in